

L Number	Hits	Search Text	DB	Time stamp
1	306	725/46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
2	2	("6637029").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
3	109	725/45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
4	110	725/44.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
5	112	725/47.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
6	2	("6637029").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
7	2	("5619709").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
8	98	725/46.ccls. and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
9	43	(725/46.ccls. and @ad<20001221) and (volume)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
10	2	(725/46.ccls. and @ad<20001221) and (volume adj (shift\$4 or chang\$4 or adjust\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
12	1444	"characteristic vector"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:56
11	4	"program characteristic vector"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57

13	6	"characteristic vector" and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
14	23	(725/46.ccls. and @ad<20001221) and demographic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
15	10	probabl\$6 near2 demographic\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
16	2	("6177931").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
17	191	(725/39-61.ccls. and (unattend\$4 or absen\$4 or "dead time" or inactiv\$6)) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
18	357	725/39-61.ccls. and (unattend\$4 or absen\$4 or "dead time" or inactiv\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
19	258	(725/\$.ccls. and demograph\$4) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
20	2	("6177931").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
22	57	725/39-61.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
21	65		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
24	563	725/\$.ccls. and demograph\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57
25	36	725/39-61.ccls. and ((caption\$4) with (search or key\$1word or categor\$4 or anayly\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:57

27	1716	725/39-61.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
23	21	(725/39-61.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6))) not (725/39-61.ccls. and ((caption\$4) with (search or key\$1word or categor\$4 or anayly\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
32	306	725/46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
26	27	"channel jumping"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
28	11		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
29	19		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
30	79		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
31	28		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
34	161	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (user\$2 or viewer\$2 or subscriber\$2))) not (((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (break\$2 or gap\$2 or period\$2 or span\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
33	43	((725/\$.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6))) and @ay<2001) not (725/39-61.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
36	139	725/\$.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58
38	45	725/\$.ccls. and (priva\$4 with profil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:58

41	106	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (break\$2 or gap\$2 or period\$2 or span\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
35	100	((HTML) with (profil\$4)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
44	1455	725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
37	23	(725/109-111.ccls. and (HTML with (program\$2 or VBI))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
47	219	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (user\$2 or viewer\$2 or subscriber\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
50	275	(HTML) with (profil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
39	161	(((((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (user\$2 or viewer\$2 or subscriber\$2))) not (((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (break\$2 or gap\$2 or period\$2 or span\$2)))) not (((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4) same (break\$2 or gap\$2 or period\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
51	55	725/109-111.ccls. and (HTML with (program\$2 or VBI))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 13:59
40	34	(((((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (break\$2 or gap\$2 or period\$2 or span\$2))) not (((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4) same (break\$2 or gap\$2 or period\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
42	2	("5758259").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00

54	55	725/\$.ccls. and (dead near3 (time\$2 or period\$2 or span\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
43	72	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4) same (break\$2 or gap\$2 or period\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
56	379	HTML same (extract\$4 or analy\$6 or profile) same (key\$1word or categor\$4 or characteristic\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
45	127	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) with (user\$2 or viewer\$2 or subscriber\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
57	75	(725/\$.ccls. and ((caption\$4) with (extract\$4 or search or key\$1word or categor\$4 or anayly\$6))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
59	663	725/109-111.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
46	72	725/\$.ccls. and ((sleep or low\$1power) with (setting or mode))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
48	46	(725/\$.ccls. and (dead near3 (time\$2 or period\$2 or span\$2))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
49	90	((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) with (user\$2 or viewer\$2 or subscriber\$2))) not (((725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001) and ((extend\$4 or prolong\$4 or inactiv\$6) same (break\$2 or gap\$2 or period\$2 or span\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:00
52	904	(725/\$.ccls. and ((profil\$4 or histor\$4 or monitor\$4) same (activit\$4 or inactivit\$4 or unrespons\$6 or respons\$6))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:01
53	153	(HTML same (extract\$4 or analy\$6 or profile) same (key\$1word or categor\$4 or characteristic\$2)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:01
55	46	(725/\$.ccls. and ((sleep or low\$1power) with (setting or mode))) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:01

58	15	(725/\$.ccls. and (priva\$4 with profil\$4)) and @ay<2001	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:01
60	2	WO-9901984-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:16
61	2	("6177931").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:45
64	2	("5758259").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:46
63	2	("6029195").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:45
62	2	("6571392").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:46
65	1	knee.in. and 725/46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:47
66	2	goldman.in. and 725/34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 14:47
81	32	maissel.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:40
82	8837	725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:40
84	118	725/\$.ccls. and (analog with (benefit\$2 or advantag\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:41
83	82	725/\$.ccls. and (analog with (benefit\$2 or advantag\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:43

85	4	725/\$.ccls. and (analog with (benefit\$2 or advantag\$2) with (existing or base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:45
86	77	725/\$.ccls. and (MPEG with (benefit\$2 or advantag\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:06
87	932	725/\$.ccls. and (MPEG with (use\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 15:58
88	12	725/\$.ccls. and (MPEG with (lower\$4 or sav\$4) with bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:00
89	102	(MPEG with (lower\$4 or sav\$4) with bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:07
90	90	((MPEG with (lower\$4 or sav\$4) with bandwidth)) not (725/\$.ccls. and (MPEG with (lower\$4 or sav\$4) with bandwidth))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:00
91	94	(MPEG with (lower\$4 or sav\$4) with stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:04
93	8	(MPEG with (conserv\$4) with bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:08
92	1145	725/\$.ccls. and (MPEG with (compress\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:08
94	561	(725/\$.ccls. and (MPEG with (compress\$4))) and @ay<2000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 16:09